

# Sichuan Machinery Imp. & Exp. Corp.

Email: Jackieeehu@hotmail.com

No.	Type	Engine	pcs/ set	(mm)c-c	B/E bore	S/E bore	Bolt Size	Net weight(g)	Remark	
1	Volvo	139.5-23-53	5	139.50	53	23	3/8"	(544-545)		
1b		139.5-23-53	5	139.50	53	23	M10X1.25	(544-545)		
1C		139.5-23-53(I)	5	139.50	53	23	3/8"			
2		143-23-53	5	143	53	23	3/8"	(548-549)		
2b		144-23-53	5	143	53	23	3/8"			
2c		143-23-52	5	143	52	23	3/8"			
2d		142-53-20			142	53	20			
3		145-24-58	4	145	58	24	3/8"	594-595		
3b		145-24-58	4	145	58	24	7/16"			
3c		145-24-58	4	145	58	24	7/16"			
3d		145-24-58 B23	4	145	58	24	3/8"		610-624	
3e		145-24-58 B23	4	145	58	24	3/8"			
4		147-23-53	5	147	53	23	3/8"	554-555		
4b		147-56-24	4	147	56	24	3/8"	627-634	627-634	
4c		147-21-53	5	147	53	21	3/8"			
5		152-23-52	4	152	52	23	M10X1.25	612-613(570)		
5b		152-23-52	4	152	52	23	3/8"	612-613(570)		
5c		152-23-52	4	152	52	23	3/8"	612-613(570)		
5d		145-23-52	4	145	52	23	3/8"			
6		152-23-53	5	152	53	23	3/8"	630-632		
6b		152-23-53	5	152	53	23	M10X1.25	630-632		
7		152-22-58	4	152	58	22	3/8"	630-632		
7b		154-25-57	4	154	57	25	3/8"		626-636	
8a		152-23-52(L)	4	152	52	23	3/8"	562		
8b		158-23-52(L)	4	158	52	23	3/8"			
8c		152-23-52	4	152	52	23	3/8"		590-610	
8d		152-23-52	4	152	52	23	3/8"		590-610	
8e		152-23-52	4	152	52	23	3/8"		590-610	
8f		152-23-52	4	152	52	23	3/8"			
8h		158-23-52	4	158	52	23	3/8"		578-588	
92		SWVA31	4	139.5	53	23	3/8"	547		
92b		SWVA31	4	143	53	23	3/8"		563-585	
128	Volvo	V149-24-58	4	149	58	24	7/16"	638		
130		V152-23.02-52	4	152	52	23.02	3/8"			
131b		Volvo B23	4	160	58	23.566	7/16"	647		
131a		Volvo B23	4	160	58	23.566	7/16"			
132b		Volvo B230	4	160	52	23.566	7/16"	609		
132a		Volvo B230	4	160	52	23.566	7/16"			
132c		Volvo B230	4	160	52	21	7/16"			
471	Volvo	AR2395	4	154	57	25	3/8"			
472		AR239000	4	147	56	24	3/8"	517		
132d		Volvo B230	4	152	52	23.566	7/16"			

12	Opel	143-21-52	4	143	52	21	3/8"			
11b		143(希腊)	4	143	52	21	3/8"			
11c		143(希腊)-I	4	143	52	21	3/8"			
11d		Vauxhall 143(UK-B)-I	4	143	52	21	3/8"			
12		143-21-52	4	143	52	21	3/8"			
12c		149.5	4	159.5	52	21	3/8"			
12f		143	4	143	52	21	3/8"	570		
12j		146.8	4	147	52	21	3/8"			
112		CRC-28L(Corsa)	4	130.3	53	21	7/16"			
112b		Corsa	4	129.75	46	18	5/16"	538		
112c		Corsa	4	129.5	46	19	5/16"	505		
113		CRSP-136 (1.8L)	4	136.95	50.6	22	3/8"	488		
114		CRS-16 (CIH)	4	141.5	55	22	3/8"			
115a		CRS-15(CIH) (3.0L)	4(6)	134	55	22	3/8"			
115b		CRS-17	4	144	55	22	3/8"			
115c		CIH 134-55-22	4	134	55	22	7/16"	539-544		
115d		128	4	128	55	22	3/8"			
195		CRS-18	4	136.5	55	21	3/8"	496		
196		CRS-19	4	148	52	21	3/8"	511-520		
196b		148	6	148	52	21	3/8"			
196c		148	6	148	52	21	3/8"			
196e		148		148	52	21	3/8"		479-506	
14		Toyota	2JZ	6	142.00	55	22	3/8"	381-382	450-466
15b			4AG	4	132.00	45	18	5/16"		
16			RDT-4A(4AG)	4	122	45	20	5/16"	382	
17			3SG	4	138.00	51	22	3/8"	382	
17b	3SG		4	138	51	22	3/8"	355		
17c	3SG-I		4	138	51	22	3/8"			
17d	3SG 突点		4	138	51	22	3/8"			
88	CRT-1(4E-FTE)		4	118	43	18	5/16"		530-554	
88b	CRT-1(4E-FTE) 凸点		4	118	43	18	3/8"			
133	Toyota		4AGD	4	122	43.01	20.008	5/16"	460-465	
133b		4AGD	4	122	43.01	20.008	3/8"			
134		4AGE	4	122	45.01	20.008	5/16"	526-534		
134b		4AGE	4	122	45.01	20.008	3/8"	435		
134c		CR-TS-126.8	4	126.8	45.01	20.008	3/8"	495-498		
134d		4AGD	4	144	43.01	20.008	3/8"			
134e		4AGD	4	135.5	45.01	20.008	3/8"			
134f		4AGD	4	132	45.01	18.008	3/8"			
138		2TC/3TC 4.850"	4	123.2	48	21.97	5/16"	495-498		
139		Supra 7MGTE 152	6	152	55	22.02	3/8"	465		
140		2AZ-FE 5.886"	4	149.5	51.001	22	3/8"	514		
229a		CC154mm(4.5L)	6	154	60.6	26	7/16"	518	552-572	
229c		CC148.5mm(4.5L)	6	148.5	60.6	26	7/16"		546-550	
289			4AG-2	4	122	45	20	5/16"	518	
290			4AG-3	4	122	45	20	3/8"		
291			2TG	4	123	51	22	5/16"		

291b	Toyota	2TG	4	130.5	46	18	5/16"	539	463-475
292		5E	4	130.5	46	18	3/8"	498	
292b		5E	4	130.5	46	18	5/16"		
292d		134.5	4	134.5	46	19	3/8"		
391		7AEF	4	132.5	51	20	3/8"		
303		3TC	4	123	51	22	5/16"	543	
396	Toyota	CC146.7	4	146.7	47	20	5/16"		
396B	Toyota	CC146.7-I	4	146.7	47	20	3/8"		
503	Toyota	CC146	4	146	55	22	3/8"		
503b	Toyota	CC146	4	146	55	22	7/16"		
400	Toyota	liz-4tg	4	125.2	55	22.01	3/8"	531-532	
18a	Nissan	RB26	6	121.50	51	21	3/8"	545	
18e		RB26(uk-b)凸点	6	121.50	51	21	3/8"	560	
18f		RB26	6	119.50	51	21	3/8"		
19		CRC-C(RB26)(W)	6	121.5	51	21	3/8"		
20		S20(L)	6	119	53	20	3/8"		
21a		SR20(J)	4	136.30	51	22	3/8"		
21b		SR20(L)	4	136.30	51	22	3/8"		
21c		SR20(凸点)	4	136.3	51	22	3/8"		
21d		SR20	4	136.3	51	22	3/8"		
21E		SR20	4	140	51	22	3/8"	509	
22		SR20(W)	4	136.30	51	22	7/16"	452-458	452-460
23		RB25	4	121.50	51	21	3/8"	450-459	
24		CA18	4	133	48	20	3/8"	453-465	
26a		Ford	cosworth128.5	4	128.5	55	24	3/8"	498-505
26b	cosworth133.5		4	133.5	55	24	3/8"	457	
26c	cosworth128.5(I)		4	128.5	55	24	3/8"		
26d	cosworth133.5(I)		4	133.5	55	24	3/8"	495	
26e	CC136.5		4	136.5	55	24	3/8"		
159	BDA 5.230" B		4	132.84	52.91	20.65	3/8"	498-505	
159b	BDA 5.230" A		4	132.84	52.91	20.62	3/8"	517-524	
159c	5.23		4	132.84	52.91	20.65	3/8"		
159d	4.826		4	122.58	52.91	20.65	3/8"		
159e	125.17		4	125.17	52.91	20.65	3/8"		
159f	135.38mm		4	135.38mm	52.91	20.65	3/8"	448	
159g	122.58		4	122.58	52.91	20.65	3/8"	478	
180	cosworth 5.200"(L)		4	132.1	51	20.6	5/16"	479	
181	Duratec 5.768"(L)		4	146.5	50.2	21.2	3/8"	479	
182	Lotus 4.926"(C)		4	125.12	52.9	20.64	3/8"	543	
183	Lotus 5.230"		4	132.84	52.9	20.64	3/8"	543	
184	Lotus 5.430"		4	137.92	52.9	20.64	3/8"		
162	Duratec 2.0		4	146.25	50.035	21	3/8"		
163	Duratec 2.3		4	154.79	53.035	21	3/8"		
163b	Duratec 2.3		4	141.5	53.035	21	3/8"	498-505	537-541
208	138		4	138	55	22	3/8"		
209	140		4	140	52.9	22	3/8"	472	
210	Lotus4.926"		4	125.12	52.91	20.64	3/8"		

210b	Ford	Lotus 129	4	129	52.91	20.62	3/8"		
210c		Lotus 5.100"	4	129.54	52.91	20.64	3/8"		
210P		Lotus	4	112.42	52.91	20.64	3/8"		
210d		4.626"	4	117.5	52.91	20.64	3/8"	535	
210e		4.526"	4	114.91	52.91	20.64	3/8"		
210f		Lotus 5.100"	4	129.54	52.91	20.64	3/8"		
210h		4.926" 柄23	4	125.12	52.91	20.64	3/8"		
210i		5.100"	4	129.54	52.9	20	3/8"		
210j		136	4	136	52.91	22	3/8"		
210k		114.96		114.96	52.91	20.64	3/8"		
210L		132.84	4	132.84	52.91	20.65	3/8"		
210M		135.38		135.38	52.91	20.64	3/8"		
210N		132.84		132.84	52.91	20.637	3/8"		
211		5.430"	4	137.922	52.9	20.64	3/8"		
212		5.200"	4	132	50.91	20.6	5/16"		
212b		5.200" UK-B 凸点	4	132	50.91	20.6	5/16"	547-554	
213		5.230"	4	132.84	52.91	20.64	3/8"		
213b		5.230"	4	132.84	52.91	20.64	3/8"		
213C			4	112.42	52.91	20.64	3/8"		
213D			114.96	52.91	20.64	3/8"			
587	Duratec 1.6L	4	155	50.025	21.025	3/8"	534		
588	Duratec 2.5L	4	151	53.035	21.025	3/8"	537		
360	RSR2000	4	149.25	53.9	21	3/8"	519		
29	宝马BMW	BMW3.2	6	139	53	21	3/8"		
29c		BMW3.2希腊(I)	6	139	53	21	3/8"		
30a		BMW130	6	130	48	22	3/8"	532	
30b		BMW135mm	6	135	48	22	3/8"		
30d		BMW M50 140	4	140	48	22.02	3/8"		
105a		M5 3.8L	6	142.5	52	22.02	7/16" (3/8")		
105b		141.5	4	141.5	53	22.02	3/8"		
105c		M10	4(6)	135	52	22.02	3/8"	780	
105d		S38 3.8	6	142.5	52	22.02	3/8"	790	
105g		143	4(6)	143	52	22.02	3/8"	600	
105H		M10 ( M30)	4(6)	152	52	22.02	3/8"	800	
105I		M10 ( M30)	4(6)	146	52	22.02	3/8"	810	
105k		141.5	4	141.5	53	22.02	3/8"	820	
105L		M10	4(6)	135	52	22.02	3/8"	840	
124		BMW 135.5mm	6	135.5	48	21.02	3/8"	627-628	
125		BMW 150mm	6	150	48	20.02	3/8"	600	
126a		M5 3.6	6(4)	144	52	22.02	3/8"	709	
126b		M3-S14 2.3L	4	144	52	22.02	3/8"	660	
126C		M88	6	146	52	22.02	7/16"	605	
126d		148 (G)	4	148	52	22	3/8"	529-530	
126i	M3-S14 -140	6(4)	140	52	22.02	3/8"	529-530		
126j	M5 3.6	6(4)	141.5	52	22.02	3/8"	613-614		
126K	150	4	150	52	22	3/8"			

126L		M3-S14 2.3L	4	144	52	22.02	3/8"		
126m		M3-S14 -140	6(4)	140	52	22.02	3/8"	640	303-306
127		BMW M3 S54	6	139	53	21.02	3/8"	454	
148		Mini 5.177"	4	131.5	49	21	5/16"	875	
148b		Mini Cooper S	4	131.6	49	21	3/8"	887	
149		M5 3.6L 135mm	6	135	52	22.02	7/16"	465-467	
511	BMW	Motorbike	4	151	52	20	5/16"		563-582
262b	BMW	cc128mm	4	128	51	22	5/16"		
262		MOTORBIKE	4	125	51	22	5/16"		
250	Austin	MINI (JAPAN)	4	146.2	48	20.63	3/8"		
250b		CC160MM (突点)	4	160	51.4	21	3/8"		
250c		MINI (UK-A)	4	146.2	48	20.63	5/16"		
31		L-137.5	6	137.5	53	21.007	5/16"		
32		L-137.5	6	137.5	53	21.007	3/8"		
33		L-140	4	140	53	21.007	3/8"		
34a		L-NARROW L32-137.5SPL	6	137.5	53	21.007	5/16"		
34d		L32-135spl	6	135	51	21.01	3/8"	546	
34b		L-32-139SPL	6	139	53	21.007	5/16"		
90		CRC-CA (VG35)	6	144.2	55	22	3/8"		
106c		RB30 145.3	6	145.3	53	21	3/8"		
106d		RB30 152.5国贵	6	152.5	53	21	3/8"	551	
106e		RB30 155.5国贵	6	155.5	53	21	3/8"		
107		RB29	6	121.5	53	21	3/8"		
108		VG30	6	154.2	53	22	3/8"		
141		L16 L24	4	133	53	21	3/8"	528	
141b		L16 L24	4	130	53	21	3/8"		
228		CC163.5mm	6	163.5	60	23	7/16"		
346	日产Nissan	s20119	6	119.00	53	21	3/8"		
347		DEL149.3	4	149.30	53.9	22	3/8"		
348		F6A	3	109.8	41	20	5/16"		
349		K6A	3	113.9	41	20	5/16"		
350		L-140-2	4	140	53	22.005	3/8"	471	
233		S20-118	6	118.7	51	23	3/8"	502	
233b		S20-118.7N	6	118.7	51	20	3/8"		
233c		S20-118.2-rb	6	118.2	51	21	3/8"	500	
234		S20-119	6	119.5	51	20	3/8"		
293		A15	4	133	48	19	5/16"		
294		VH45	4	147	55	22	3/8"		
301a		A12(I)	4	121.5	48	17.45	5/16"		
301c		A12-LONG(J)	4	128	48	18	5/16"		
302		U20-SR311	4	144	55	22	3/8"	366	
302b		U20-158.5	4	158.5	55	20	3/8"		
369		DATSUN L6	6	133	52.9996	21	3/8"		
369b		DATSUN L6	6	130.3	53	21	3/8"		
426	Nissan	6G13	4	138.5	54	19	5/16"	447	
402	Nissan	7A	4	132.5	51.015	20.013	3/8"	374	
364		S20std	6	116	53	21	3/8"		

373	Nissan	A13(L)	4	145	48	19.01	5/16"			
374		cc151.75	4	151.75	57	22.005	3/8"			
304	Nissan	CC145.5 (G)	4	145.5	60	24	3/8"			
35a	Mitsubishi	4G63 (Japan)	4	150.00	48	22	3/8"		466-492	
35b		4G63 (Japan)	4	147.00	48	22	3/8"	343		
35c		4G63(L)	4	150.00	48	22	5/16"	600		
35d		4G63(L)	4	150.00	48	22	3/8"			
241		4G63 (3/8")	4	150	48	22	3/8"			
36D		4G93 (G)	4	133.50	48	19	3/8"			
368		6G72	6	141	53	22	3/8"	695		
568		4B11	4	143.75	55	23	3/8"	440		
405		Mitsubishi	4G15 131	4`	131	45	18	5/16"		
405b			4G15 131	4`	131	45	18	3/8"	287	
38	VOLKSWAGEN	VW(5.394")	4	137.00	57.795	22.02	3/8"	329		
39		VW(5.500")	4	139.00	57.795	22.02	3/8"	374		
40		VW(5.700")	4	144.80	57.795	22.02	3/8"			
41		VW(5.325")	4	135.20	57.795	22.02	5/16"			
42		VW(5.500")	4	139.00	57.795	22.02	5/16"			
43		CHEVY(5.325")	4	135.20	53.975	22.02	3/8"			
44		CHEVY(5.500")	4	139.70	53.975	22.02	3/8"			
45		CHEVY(5.700")	4	144.80	53.975	22.02	3/8"			
46		CHEVY(5.700")	4	144.80	53.975	22.02	5/16"			
46b		CHEVY(5.700")	4	144.80	53.975	21.02	3/8"			
46c		CHEVY(5.900")	4	149.86	53.975	21.02	3/8"			
47		VW 2.0L GOLF	4	159.00	50.6	20.02	3/8"			
47b		VW 2.0L GOLF	6(4)	165.00	50.6	20	3/8"			
47c		VW 2.0L GOLF	6(4)	156.80	50.6	20	3/8"			
48		VW SCIROCCO(AUDI)	(4)(6)	144.00	50.6	20	3/8"			
48b		Audi S3-TT	(4)(6)	144.00	50.6	20	3/8"			
48i		Audi S3-TT	5	154.00	50.6	20	3/8"			
48j		Audi S3-TT	5	143.00	50.6	20	3/8"			
48t		VW SCIROCCO(AUDI)	(4)(6)	157.00	50.6	20	3/8"			
97a		VR6	6	164	56.8	20.005	5/16"			
97b		VR6	6	164	56.8	20.005	3/8"			
136a		S4 V6 V8 154	6	154	57.6	21.005	5/16"			
136b		154	6	154	50.6	21.005	3/8"			
136C		S2		155.00	50.6	20	3/8"			
137		1.8 -2L 159	4	159	50.6	21.005	5/16"			
144		G60(1.5L 1.6L)	4	136	50.6	22	3/8"			
297b		Faire	4	129	45.14	18	3/8"			
297C		Faire	4	129	45.14	18	5/16"			
298		VW940	4	122	45.02	20.005	5/16"			
299		M16	4	143	53.73	20.005	5/16"	609		
197	VW-136A (G)	4	136	50.6	22	3/8"				
198	VW-159 (G)	4	159	50.6	21	3/8"				
199	VW-136B	4	136	49	22	3/8"				
199C	VW-144	4	144	49	22	3/8"				

199D		CR-VW-145B	4	145	49	22	3/8"		
200		VW-137A	4	137	53.9	22	3/8"		
201		VW-137B	4	137	57.8	22	3/8"		
202		VW-127	4	127	57.9	22	3/8"		
203		VW-131	4	131	52.8	24	3/8"		
204		VW-136C	4	136	50.6	24	3/8"		
205		VW-136D	4	136	50.6	22	3/8"		
206		144-53.7-26	4	144	57.6	26.01	5/16"		
207		144-50.6-26	4	144	50.6	26.01	5/16"		
207b		136-50.6-24	4	136	50.6	24.01	5/16"		
207c		141.75-50.6-26	4	141.75	50.6	26.01	5/16"		
207d		154, 5	4	154.5	55	28	3/8"		
307		V8, S4, RS4	6(8)	154	57.6	21.005	3/8"		
49b	Renault	136.5	4	136.5	51.6	21	3/8"		
49c		CLIO 144	4	144	51.6	21	3/8"		
49e		144mm	4	144	51.6	21	3/8"		
49f		CLIO 144	4	150	51.6	20	3/8"		
178	Renault	R5 TURBO 11	4	128	47.614	20.02	5/16"		
178c		R5 TURBO 11	4	128	47.614	20.02	3/8"		
274		CC165.9mm	4	165.9	47.612	19.05	3/8"		
50	Chevrolet4 54 BIG BLOCK	6.135"	8	155.83	58.901	26.386	7/16"		
51		6.385"	8	162.18	58.901	26.386	7/16"		
52		6.535"	8	165.99	58.901	26.386	7/16"		
53		6.7"	8	170.18	58.901	26.386	7/16"		
54		6.8"	8	195.58	58.901	26.386	7/16"		
55		7.1"	8	180.34	58.901	26.386	7/16"		
56	Chevrolet3 50 SMALL BLOCK	6"	8	152.4	56.515	23.55	7/16"		
57		5.850"	8	148.59	56.515	23.55	7/16"		
58		6.125"	8	155.58	56.515	23.55	7/16"		
59		5.565"	8	141.35	56.515	23.55	7/16"		
60		5.7"	8	144.78	56.515	23.55	7/16"		
61		6.2"	8	157.48	56.515	23.55	7/16"		
62		6.25"	8	158.75	56.515	23.55	7/16"		
63	Ford	5.933" (4.6L)	8	150.7	56.819	23.188	3/8"		
64		6.658" (5.4L)	8	169.11	56.819	23.188	3/8"		
65		5.090" (302)	8	129.29	56.515	23.55	(7/16")		
66		5.115" (302)	8	130.94	56.515	23.55	(7/16)		
67		5.315" (302)	8	135	56.515	23.55	(7/16")		
68		5.4" (302)	8	137.16	56.515	23.55	(7/16")		
68b		5.4" (302)	8	137.16	56.515	23.55	(7/16")		
69		6.2" (351W) (GM350)	8	157.48	56.819	23.188	3/8"	526	
70		6.605" (429/460)	8	167.77	66.675	26.416	7/16"	515	
71		6.800" (429/460)	8	172.72	66.675	26.416	7/16"		
72		5.956" (351W)	8	151.28	61.64	23.188	3/8"		
73	B18A 5.394"	4	137.007	48	21.006	3/8"			
74a	B18C/GSR 5.433"	4	137.922	48	21.006	3/8"			
74b	B18C(J)	4	137.9	48	21	5/16"			

75	Honda	B16A 5.290"	4	134.37	48	21.006	3/8"			
76		K20 5.464"	4	138.79	51	22	3/8"			
77		H22 5.485"	4	139.32	48	21.006	3/8"			
78		D16 5.394"	4	137.007	48	19	3/8"			
79		H22 5.636"	4	143	51	22	3/8"			
156		F20C 6.024"	4	153	51	22	3/8"			
156b		F20	4	153	51	23	3/8"			
156c		F20B (I)	4	145	48	22	3/8"			
156D		CC153-F20	4	153	51	23	3/8"			
157		H23/B20A/F22	4	141.75	51	22	3/8"			
158		K24A	4	152	51	22	3/8"			
158B		K24A-I	4	152	51	22	3/8"			
179		D15B2 5.295" (L)	4	134.5	45	19	5/16"			
244		5.405"	4	137.287	48	22	3/8"			
245		6.050"	4	153.67	48	22	3/8"			
247		1.6CC	4	137.008	48	21	3/8"			
644		157.5	4	157.5	48	19,97	5/16"			
456		HONDA	K 124	4	124	48	20	3/8"		
295		HONDA	B18C-2	4	143.9	48	18	5/16"		
85		Chrysler	6.765"	8	171.83	63.5	25.17(25.79)	7/16"		
86	6.865"		8	174.37	63.5	25.17(25.79)	7/16"			
87	6.965"		8	176.91	63.5	25.17(25.79)	7/16"			
91	Subaru	A-161 (EJ18/20/22)	4	130.45	55	23	3/8"			
91b		EJ18/20/22 -I	4	130.45	55	23	3/8"			
91c		EJ18/20/22 (AL)	4	130.45	55	23	3/8"			
91d		(EJ18/20/22)凸点	4	130.45	55	23	3/8"			
93a	Peugeot	RDSX-1 (137.75)	4	137.75	48.6	18	5/16"			
93b		RDSX-1	4	139	48.66	18	5/16"			
93d		RDSX-1-A	4	137.75	48.6	18	3/8"			
93e		RDSX-1-A	4	139	48.66	18	3/8"			
94		RDSX-S	4	133.6	48.6	19.5	5/16"			
94b		RDSX-S	4	133.6	48.6	19.5	3/8"			
94c		RDSX-s	4	137.75	48.6	20	3/8"			
94d		RDSX-s	4	137.75	48.6	18	3/8"			
95		RDSX-S1	4	133.6	48.6	18	5/16"			
95a		RDSX-S1-A (AL)	4	133.6	48.66	18	3/8"			
95b		RDSX-S1-A	4	133.6	48.6	18	3/8"			
96		RD26-P	4	139	48.6	18	3/8"			
177		PEU-158(4RS4)	4	158	53.7	20	3/8"			
177b		PEU-XU10	4	158	53.7	18	3/8"			
177c			4	157	53.7	18	3/8"			
177d			4	157	53.7	18	3/8"			
177e		PEU-158(4RS4)	4	160	53.7	20	3/8"			
505		KIT CAR L-162mm ws	4	162	48.655	18	3/8"			
300		PEU-158	4	158	53.7	22	3/8"			
300b		PEU-4RS4	4	158	53.7	20	3/8"			
300c	PEU-4RS4	4	152	53.7	22	3/8"				



300d		JOHAN-001	4	152	53.7	23	3/8"		
416		Bielle Renault Clio Max	4	150	48.655	18	3/8"		
417		Bielle Saxo138.5mm	4	138.5	48.655	19.5	3/8"		
417b		Bielle Saxo133.5mm	4	133.5	48.655	19.5	3/8"		
417c		Bielle Saxo133.5mm	4	133.5	48.655	18	3/8"		
418		Bielle PB 075010	4	118	48.655	18	3/8"		
98c		Lancia	4(5)	145	53.92	22.01	3/8"		
98e		Lancia 1.6L	4	128.83	51.33	22	3/8"		
122		WSPF-128	4	128.52	48.63	22	3/8"		
116		abarth 117-FA-18	4	117	43.624	18	5/16"		
116b		abarth 117-FA-16	4	117	43.624	16	5/16"		
116f		abarth 117-16	4	117	43.654	16	5/16"		
116g		abarth 110-18	4	110	43.654	18	5/16"		
117		abarth 110-FA	4	110	43.624	18	5/16"		
356		Alpine 1800	6	136.5	51.59	21	5/16"		
357		2002 TI	6	146.5	52	22	5/16"		
358a		500 CC118mm	6	118	47.13	20	3/8"		
358b		500 CC120mm	6	120	47.13	20	3/8"		
358m	Fiat	Fiat 700	4	130	47.137	20	5/16"		
358n	Fiat	Fiat 700	4	124	47.137	20	5/16"		
358p	Fiat	Fiat 700	4	132	47.137	20	5/16"		
358q	Fiat	Fiat 700	4	120	47.137	20	5/16"		
358r	Fiat	Fiat 700	4	118	47.137	20	5/16"		
358s	Fiat	Fiat 700	4	136	47.137	20	5/16"		
358t	Fiat	Fiat 700	4	130	47.137	18	5/16"		
358u	Fiat	Fiat 700	4	126	47.137	20	5/16"		
358v	Fiat	Fiat 700	4	130	47.137	20	5/16"		
358w	Fiat	500 CC127mm	6	127	47.13	20	3/8"		
358x	Fiat	Fiat 700	4	120	47.137	22	5/16"		
358z	Fiat	Fiat 700	4	130	47.137	18	3/8"		
548		500 NEW	4	129	45.15	17.95	5/16"		
495		1200cc	4	129	45	18	3/8"		
495b		fiat 1.6v	4	132	45	18	5/16"		
495c	Fiat	500	4	130	45	18	5/16"		
495D	Fiat	500	4	129.2	45	18	5/16"		
496		147	4	147	51.36	22	3/8"		
99		DUK-AF2 (Romeo)	4	157	53.7	22	3/8"		
99b		DUK-AF2 (Romeo)	4	158.8	53.7	22	3/8"		
109	Alfa	SGG-RK	4	133.1	51.68	18	5/16"		
222		CC131.1mm	6	131.1	55.6	22	3/8"		
110		AUT (Hayabusar)	4	119.5	41	20	5/16"		
110b		Z-201-090	4	119.5	45	20	5/16"		
110c		AUT (Hayabusar)	4	118.5	41	20	5/16"		
110e		AUT (Hayabusar)	4	119.5	41	20	3/8"		
110f		AUT (Hayabusar)	4	119.5	41	18	3/8"		
230		CC123mm	4(5)	123	45	18	5/16"		
231	Suzuki	CC120mm	4	120	45	19	5/16"		

438		Suzuki-1	4	138	45	20	5/16"		
438b		Suzuki-2	4	136	45	20	5/16"		
590		GSX-R1000	4	111	38	16	5/16"		
518		CMR-A1	4	138	45	20	5/16"		
555		suzuki	4	149.6	47.2	19	5/16"		
344		13G	4	115.5	41	19	5/16"		
142	Datsun	KA24DE 6.496"	4	165	53.01	21	3/8"		
526	MAZDA	cc140	4	140	43	18	5/16"		
150		1.6/1.8 5.234"	4	133	48.014	20	5/16"		
580	mazda	135 (I)	4	135	51	19	3/8"		
111		SGB-2 (ZXR900)	4	104.5	38	18	5/16"		
151		KAZX7 3.937"	4	100	37	18	5/16"		
152		KA-X11 4.370"	4	111	39.002	18	5/16"		
153		GSXR	4	117	41.006	20.02	5/16"		
153b		cc117mm	4	117	41.006	18	5/16"		
403		Kawasaki104.5MM	4	104.5	38	18	5/16"	609	
469	KAWASAKI	ZX-10R	4	106.63	37.5	17.02	5/16"	609	
484	Kawasaki	CRV-124	4	124	41	19	5/16"		
160		V-8, V-12	8 (12)	137	47.135	18.5	3/8"		
161a	Ferrari	250/275	8/(12)	112	45	16.5/17	5/16"		
161b		P331-2	4	112	44.96	17.01	5/16"		
165	Spridget	Midget 1275	4	146.05	45	20.62	5/16"		
166		984cc	4	146.05	45	15.88	5/16"		
167		GTR6/TR6	4(6)	146.05	51.34	22.15	5/16"		630-633
167b		cc	4(6)	146.05	51.34	22.15	5/16"		
167c		cc	4(6)	146.05	51.34	19	5/16"		
168		TR4/TR3	4	158.75	56.72	22.23	3/8"		
169		RSR	6	127	58.14	23	3/8"		
170		993 (P267)	6	127	58.14	23	3/8"		
171a		928S	4	150	54.991	24	3/8"		
171b		P321-03	4	150	55	24	3/8"		
171c		CC150A	8	150	55	24	3/8"		
171d		CC150B	4	150	55	24	3/8"		
172	Porsche	912/356	4	127	56.993	22	1/4"		
173		3.2/3.3	6	127	58.014	22(23)	3/8"		
174		3	6	127.75	56.007	22	3/8"		
174b		3	6	127.75	56.007	22	3/8"		
175		2.4/2.7	6	127.75	56.007	22	3/8"		
176		2.0/2.2	6	130	61.008	22	3/8"		
235		5.807 (Rover V8)	8	147.5	53.975	23.98	3/8"		
235B	Rover	A-1275	8	146	48.15	20.65	3/8"		
235E		146.05	8	152.4	44.98	20.63	3/8"		
235F		A-1275	8	152	44.98	15	3/8"		344-347
642		ROVER A+	4	152.4	48.15	20.65	5/16"		
236	Buick	V6 5.970 recover	4	151.64	60.32	23.88	7/16"		
643b		Buick 6.350	6	161.29	60.3	23.546	3/8"		
237	Jagur	Jagur XK 3.8	8	190.5	56.718	22.23	3/8"		

242	MG	MGB 6.500"	4	165.1	51.338	20.62	3/8"		
734		140	4	140	47.14	22	3/8"		
300e		PEU-4RS4	4	143	53.7	22	3/8"		
300f		PEU-158	4	158	53.7	22	3/8"		
300g		PEU-152	4	152	53.7	23	3/8"		
300h				152	53.7	23	3/8"		
317	Porsche	POR-150A	8	150	55	24	3/8"		
318		POR-150B	4	150	55	24	3/8"		
319		POR-127A	6	127	58	26	3/8"		
320b		CC127mm	6	127	58	23	3/8"		
321		POR-127C	4	127	57.9	24	3/8"		
323		POR-127E	6	127	53.9	23	3/8"		
324		POR-144	4	144	51.6	24	3/8"		
325		POR-127.8A	6	127.8	56	22	3/8"		
326		POR-127.8B	6	127.8	53.9	22	3/8"		
327		POR-127.8C	6	127.8	56	22	3/8"		
328		POR-130A	6	130	53.9	22	3/8"		
329		POR-130B	6	130	61	22	3/8"		
330		POR-131	4	131	52.8	24	3/8"		
331		POR-1334A	6	133.4	53.9	22	3/8"		
332		POR-1334B	6	133.4	58	22	3/8"		
333		POR-145A	4	130	56	22	3/8"		
334		POR-1455	6	145.5	55	24	3/8"		
341		Daihatsu	Daihatsu 1.0L	4	125.04	46.08	19	5/16"	
375	HOLDED	V6 cc143.35	6	143.35	60.33	23	3/8"		
375b		v6	6	145.9	60.295	23.54	3/8"		
377		CC118.75	6	118.75	38	17	3/8"		
378	YAMAHA	CC110.5	4	110.5	39	17	5/16"		
379		5JW	4	126	41	20.1	5/16"		
381		FZR 1000	4	109.5	39	19	5/16"		
381b		FZR 1000-18	4	109.5	39	18	5/16"		
382a	HOLDED	202-H CC133.5	4	133.5	51.5	22.02	3/8"		
382b		202-I CC133.5	4	133.5	51.5	22.02	3/8"		
383	Benz	CC145	4	145	51.6	22	3/8"		
383b		CC154	4	154	51.6	22	3/8"		
392		CC154	4	154	55.6	26	7/16"		
387	Ferrari	PPMF430	8	141	47.129	19.5	3/8"		
395	Sigma	simca	4	114	44	20	5/16"		
395b		simca	4	137	44	20	5/16"		
401	Holden	Holden 202	6	133.35	51.43	22	3/8"		
404		12Amini	4	160.4	48.15	17.96	5/16"		
407c		nt161.97	6	161.97	56.515	23	7/16"		
437		PRELIMINARY	4	135	45	20	3/8 "		
447		TAZ	4	129	51.33	21.006	5/16"		
447b		TAZ (I)	4	129	51.33	21.006	5/16"		
448		VR38	6	165	59	23	3/8"		
501		118	4	118	41.02	17	5/16"		

519		VQ30	4	147.5	53	21	3/8"		
520		DAIMLEL 250	4	142	48	21	3/8"		
529		E13	4	121.6	43	19	5/16"		
529b		E13	4	137.5	43	19	5/16"		
547		z-101	4	130	45	20	3/8"		
554		RENAULT CLIO 154	4	154	54.8	22	5/16"		
565	Masarati	Masarati	4	137	53.65	22	3/8"		
589		vw154.5	6	154.5	55	28.01	3/8"		
678		BENZ 149	4	149	51.62	30.52	3/8"		
679		Ford Duratec 2.5L	4	151	53	21.025	3/8"		
706	skoda	133	4	133	48	20	3/8"		